

SAFFTY DATA SHFFT

Version 2.0 – Revision date 12/05/2020

EU SDS – NO COUNTRY-SPECIFIC DATA

IDENTIFICATION OF SUBSTANCE AND COMPANY DETAILS

1.1 Product Identifier

Product name The Ligand Friendly Screen (LFS) ECO / The Ligand Friendly Screen (LFS) ECO HT-96

Product number: MD1-121-ECO / MD1-122-ECO

EC. No. See section 3 REACH registration No. See section 3 CAS No.: See section 3

1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses Research and development

Not for drug, household or uses other than those identified Uses advised against

1.3 Details of the supplier of the Safety Datasheet

Supplier Molecular Dimensions Limited Address The Innovation centre 217 Portobello

Sheffield S1 4DP United Kingdom +44 (0)11422 42257

Email address enquiries@moleculardimensions.com

Emergency telephone number

Telephone:

Emergency phone number

HAZARDS IDENTIFICATION 2.

Classification of substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Harmful if swallowed H302 H319 Causes serious eye irritation Causes skin irritation H315 H312 Harmful in contact with skin

H332 Harmful if inhaled

H412 Harmful to aquatic life with long-lasting effects EUH032 Contact with acids liberates very toxic gas

H301 Toxic if swallowed H400 Very toxic to aquatic life H272 May intensify fire; oxidizer

H314 Causes severe skin burns and eve damage H410 Very toxic to aquatic life with long-lasting effects

H318 Causes serious eye damage H360D May damage the unborn child

H360 May damage fertility or the unborn child

H373 May cause damage to organs (Kidney) through prolonged or repeated exposure if swallowed.

2.2 Label elements

Labelling according to Regulation (EC) No. 1277/2008 [CLP]

Pictogram(s):



Hazard statement(s):

See section 2.1.

Precautionary statement(s):

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing

P260 Do not breathe dust/fume/gas/mist/vapours/spray P261 Avoid breathing dust/fume/gas/mist/vapours/spray

P273 Avoid release to the environment

Wear protective gloves/protective clothing/eye protection/face protection P280

P220 Keep/Store away from clothing/combustible materials Immediately call a POISON CENTER or doctor/physician

P201 Obtain special instructions before use

P308+P313 IF exposed or concerned: Get medical advice/attention

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. $IF \ SWALLOWED: Rinse \ mouth. \ Do \ NOT \ induce \ vomiting. \ Immediately \ call \ a \ POISON \ CENTER/doctor.$ P301 + P330 + P331 + P310

P264

Wash skin thoroughly after handling

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON P305 + P351 + P338 + P310

CENTER/doctor

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor

2.3 Other hazards

No data available

COMPOSITION/INFORMATION ON INGREDIENTS 3.

Mixtures

| Chemical | EC No. | REACH No. | CAS No. | No. Concentration P-code(s) | | H-code(s) | | |
|-------------------|-----------|-----------------------|------------|-----------------------------|---------------------------------------|------------|--|--|
| Ammonium chloride | 235-186-4 | 01-2119489385-24-XXXX | 12125-02-9 | 0.2M | P305+P351+P338, P301 + P312 + P330 | H302, H319 | | |
| BIS-TRIS propane | - | - | 64431-96-5 | 0.1M | | | | |



| Chemical | EC No. | REACH No. | CAS No. | Concentration | P-code(s) | H-code(s) | |
|--|-----------|-----------------------|-------------|---------------|---|-----------------------------------|--|
| Boric acid | 233-139-2 | 01-2119486683-25-XXXX | 10043-35-3 | 0.1M | P201, P280, P308+P313 | H360 | |
| Calcium chloride dihydrate | 233-140-8 | - | 10035-04-8 | 0.1M | P305+P351+P338 | H319 | |
| DL-Malic acid | 230-022-8 | - | 6915-15-7 | 0.1M | P280, P305+P351+P338, P337 + P313 | H319 | |
| Ethylene glycol | 203-473-3 | 01-2119456816-28-XXXX | 107-21-1 | 10%v/v | P260, P301 + P312 + P330 | H302, H373 | |
| Glycine | 200-272-2 | 01-2119864796-18-XXXX | 56-40-6 | 0.1M | | | |
| HEPES | - | 01-2120054645-54-XXXX | 7365-45-9 | 0.1M | | | |
| Hexylene glycol | 203-489-0 | 01-2119539582-35-XXXX | 107-41-5 | 55 - 60 %v/v | P280, P305+P351+P338, P337 + P313 | H315, H319 | |
| Imidazole | 206-019-2 | 01-2119485825-24-XXXX | 288-32-4 | 0.1M | P201, P260, P280, P305+P351+P338, P310, P303 + P361 + P353, P308 + P313 | H302, H314, H360D | |
| Lithium chloride | 231-212-3 | 01-2119560574-35-XXXX | 7447-41-8 | 0.2M | P261, P305+P351+P338, P301 + P312 + P330 | H302, H315, H319 | |
| Magnesium chloride hexahydrate | - | 01-2119485597-19-XXXX | 7791-18-6 | 0.1M | | | |
| MES monohydrate | 224-632-3 | - | 145224-94-8 | 0.1M | | | |
| Poly(ethylene glycol) 1000 | 500-038-2 | - | 25322-68-3 | 30%w/v | | | |
| Poly(ethylene glycol) 3350 | 500-038-2 | - | 25322-68-3 | 20%w/v | | | |
| Poly(ethylene glycol) 6000 | 500-038-2 | - | 25322-68-3 | 20%w/v | | | |
| Potassium citrate tribasic monohydrate | - | - | 6100-05-6 | 0.2M | | | |
| Potassium phosphate monobasic | 231-913-4 | 01-2119490224-41-XXXX | 7778-77-0 | 0.02M | | | |
| Potassium sodium tartrate tetrahydrate | - | - | 6381-59-5 | 0.2M | | | |
| Potassium thiocyanate | 206-370-1 | - | 333-20-0 | 0.2M | P273, P280 | H302, H312, H332, H412, EUH032 | |
| Sodium acetate trihydrate | - | 01-2119485123-42-XXXX | 6131-90-4 | 0.2M | | | |
| Sodium bromide | 231-599-9 | - | 7647-15-6 | 0.2M | | | |
| Sodium chloride | 231-598-3 | 01-2119485491-33-XXXX | 7647-14-5 | 0.2M | | | |
| Sodium fluoride | 231-667-8 | - | 7681-49-4 | 0.2M | P301 + P330 + P331 + P310, P305+P351+P338 | H301, H315, H319, EUH032 | |
| Sodium formate | 205-488-0 | 01-2119486468-21-XXXX | 141-53-7 | 0.2M | | | |
| Sodium iodide | 231-679-3 | - | 7681-82-5 | 0.2M | P273, P305+P351+P338 | H315, H319, H400 | |
| Sodium malonate dibasic monohydrate | - | - | 26522-85-0 | 0.2M | | | |
| Sodium nitrate | 231-554-3 | 01-2119488221-41-XXXX | 7631-99-4 | 0.2M | P220, P305+P351+P338 | H272, H319 | |
| Sodium phosphate dibasic dihydrate | - | - | 10028-24-7 | 0.02M | | | |
| Sodium phosphate monobasic monohydrate | - | - | 10049-21-5 | 0.1M | | | |
| Sodium propionate | 205-290-4 | 01-2120757184-52-XXXX | 137-40-6 | 0.1M | P264, P280, P305 + P351 + P338, P337 + P313 | H319 | |
| Sodium sulfate | 231-820-9 | 01-2119519226-43-XXXX | 7757-82-6 | 0.2M | | | |
| Succinic acid | 203-740-4 | 01-2119896114-34-XXXX | 110-15-6 | 0.1M | P280, P305+P351+P338+P310 | H318 | |
| Trizma® base | 201-064-4 | 01-2119957659-16-XXXX | 77-86-1 | 0.1M | | | |
| Zinc chloride | 231-592-0 | - | 7646-85-7 | 0.01M | P260, P280, P305+P351+P338, P310, P304 + P340 + P310, P303 + P361 + P353, P301 + P312 + P330 | H302, H314, H410 | |

4. FIRST AID MEASURES

4.1 Description of first aid measures

General notes

Consult a doctor. Show this safety datasheet to the doctor in attendance.

Following inhalation

Move to fresh air. If not breathing, give artificial respiration. Consult a doctor.

Following skin contact

Wash off with soap & water. Consult a doctor. Take off contaminated clothing & shoes immediately.

Following eye contact

Rinse thoroughly for at least 15 minutes. Consult a doctor. Flush eyes with water.

Following ingestion

Rinse mouth with water. Consult a doctor. Do NOT induce vomiting.

Self-protection for first aider

Always use recommended PPE when treating patient.

4.2 Most important symptoms and effects, both acute and delayed

The most important known effects are detailed in section 2.2 and section 11

4.3 Indication of any immediate medical attention and special treatment needed

FIRE-FIGHTING METHODS 5.

5.1 Extinguishing media

Use water spray, alcohol resistant foam, dry chemical or carbon dioxide. Use dry chemical powder. \\

5.2 Special hazards arising from the substance or mixture

Hydrogen chloride gas. Nitrogen oxides. Carbon oxides. Boron oxides. Calcium oxides. Sulfur oxides. Hydrogen cyanide gas. Lithium oxides. Magnesium oxides. Potassium oxides. Phosphorous oxides. Sodium oxides. Hydrogen bromide gas. Hydrogen fluoride gas. Zinc oxides.

5.3 Advice for firefighters

Wear breathing apparatus. Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours. Use personal protective equipment including respiratory protection. Use personal protective equipment.

6.2 Environmental precautions

Do not let product enter drains

6.3 Methods and materials for containment and clean up

Use spill kit to contain spillage & use wet brushing to place in a suitable container for disposal. Do not flush with water. Evacuate personnel to safe areas. Remove all sources of ignition.



6.4 Reference to any other sections

For disposal, see section 13

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

For precautions, see section 2.2

7.2 Conditions for safe storage, including any incompatibilities.

Store in cool place. Keep container tightly closed in well-ventilated place. Containers which are opened must be carefully resealed and stored upright to prevent leakage.

7.3 Specific end use

Apart from uses in Section 1.2, no other specific uses are stipulated.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

| Chemical | CAS No. | Country | Limit value | | Basis | |
|-----------------------|------------|---------|---------------------|-----------------------|-------------------------------------|--|
| Chemical | | | STEL | TWA | DdSIS | |
| Ammonium chloride | 12125-02-9 | UK | 20 mg/m3 | 10 mg/m3 | EH40 WEL - Workplace Exposure Limit | |
| Ethylene glycol | 107-21-1 | UK | 40 ppm | 20 ppm | EH40 WEL - Workplace Exposure Limit | |
| Hexylene glycol | 107-41-5 | UK | 25 ppm | 25 ppm | EH40 WEL - Workplace Exposure Limit | |
| Potassium thiocyanate | 333-20-0 | UK | | 5 mg/m ³ | EH40 WEL - Workplace Exposure Limit | |
| Sodium fluoride | 7681-49-4 | UK | | 2.5 mg/m ³ | EH40 WEL - Workplace Exposure Limit | |
| Zinc chloride | 7646-85-7 | UK | 2 mg/m ³ | 1 mg/m ³ | EH40 WEL - Workplace Exposure Limit | |

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Wash hands before work break and at the end of the day

8.2.2 Personal protection

Eye/face protection

Face shield & safety specs.

Skin Protection

Nitrile gloves (splash protection only) and lab coat

Respiratory protection

Use respirators and components tested and approved under appropriate government standards such as CEN (EU) as back up to engineering control

Environmental exposure controls

Do not let product enter drains

9. PHYSICAL AND CHEMICAL PROPERTIES

| a) Appearance | Transparent liquid |
|--|--------------------|
| b) Odour | No data available |
| c) Odour threshold | No data available |
| d) pH | No data available |
| e) Melting point / freezing point | No data available |
| f) Initial boiling point and boiling range | No data available |
| g) Flash point | No data available |
| h) Evaporation rate | No data available |
| i) Flammability | No data available |
| j) Upper / lower flammability or exposure limits | No data available |
| k) Vapour pressure | No data available |
| l) Vapour density | No data available |
| m) Relative density | No data available |
| n) Solubility(ies) | No data available |
| o) Partition coefficient: n-octanol / water | No data available |
| p) Auto-ignition temperature | No data available |
| q) Decomposition temperature | No data available |
| r) Viscosity | No data available |
| s) Explosive properties | No data available |
| t) Oxidising properties | No data available |
| | |

10. STABILITY AND REACTIVITY

10.1 ReactivityNo data available10.2 Chemical stabilityNo data available10.3 Possibility of hazardous reactionsNo data available10.4 Conditions to avoidNo data available

 10.5 Incompatible materials
 Strong oxidising agents, strong acids, strong bases

 10.6 Hazardous decomposition materials
 No data available. In case of fire see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

a) Acute toxicity No data available b) Skin corrosion / irritation No data available c) Serious eye damage / irritation No data available d) Respiratory or skin sensitization No data available e) Germ cell mutagenicity No data available f) Carcinogenicity No data available g) Reproductive toxicity No data available h) STOT - single exposure No data available i) STOT - repeated exposure No data available j) Aspiration hazard No data available

11.2 Delayed and immediate effects as well as chronic effects from short to long term exposure

Symptoms

By ingestion/absorption: Nausea, vomiting, diarrhea, abdominal cramps, lesions on skin & mucous membranes. Circulatory collapse, tachycardia, delirium, convulsions, coma, death. Burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, vomiting. Early symptoms of ingestion similar to drunkenness, leading to nausea, vomiting, abdominal pain, weakness, muscle tenderness, respiratory failure, convulsions, cardiovascular, collapse, pulmonary edema. Without treatment, death may occur in 2h to 24h. Long term affects include renal failure,



brain and liver damage. Consumption of alcohol may increase toxic effects. Material is extremely destructive to mucous membranes & upper respiratory tract. Headache, nausea, vomiting. Sedation. Vomiting, diarrhoea, dehydration, congestion in internal organs. Inflammatory reactions in gastrointestinal tract. Damage to lungs. Prolonged exposure to iodides may produce iodism. Symptoms include: skin rash, running nose, headache, irritation of mucous membrane. Sever cases: pimples, boils, hives, blisters, black & blue spots. Iodides readily diffuse across the placenta & can cause neonatal death. Known to cause drug-induced fevers for short periods. Absorption into body leads to formation of methemoglobin which causes cyanosis.

12. ECOLOGICAL INFORMATION

 12.1 Toxicity
 No data available

 12.2 Persistence and degradability
 No data available

 12.3 Bloaccumulative potential
 No data available

 12.4 Mobility in soil
 No data available

 12.5 Results of PBT and vPvB assessment
 No data available

 12.6 Other adverse effects
 No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product / packaging disposal

Dispose of packaging as unused product. Offer surplus and non-recyclable solutions to a licensed disposal company. Observe all EU and local environmental regulations

14. TRANSPORT INFORMATION

| 14. 11041131 0111 111 | II ONIVIATION | | | | | | |
|---|---|--------------------|--|--------------------|------|--------|--|
| 14.1 UN number A.R.D./R.I.D. | 3082 | I.M.D.G. | 3082 | I.C.A.OT.I. | 3082 | A.D.N. | 3082 |
| 14.2 UN proper shipp A.R.D./R.I.D. I.C.A.OT.I. | ping name Environmentally hazardous substance, liquid, n.o.s. Environmentally hazardous substance, liquid, n.o.s. | | | I.M.D.G. A.D.N. | • | | ubstance, liquid, n.o.s. ubstance, liquid, n.o.s. |
| 14.3 Transport hazar A.R.D./R.I.D. | rd class(es) 9 | I.M.D.G. | 9 | I.C.A.OT.I. | 9 | A.D.N. | 9 |
| 14.4 Packaging group A.R.D./R.I.D. | p II | I.M.D.G. | II | I.C.A.OT.I. | II | A.D.N. | II |
| 14.5 Environmental I A.R.D./R.I.D. | hazards Yes | I.M.D.G. | Yes | I.C.A.OT.I. | Yes | A.D.N. | Yes |
| 14.6 Special precauti A.R.D./R.I.D. I.C.A.OT.I. | ions for user No data available No data available | I.M.D.G. A.D.N. | No data available No data available | | | | |

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations

No data available.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

16. OTHER INFORMATION

a) Changes since last revision

First issue

b) Key to any abbreviations used

PPE Personal protective equipment

A.R.D./R.I.D. International Carriage of Dangerous Goods by Road / Rail

I.M.D.G. International Maritime Dangerous Goods

I.C.A.O.-T.I. Technical Instructions for the Safe Transport of Dangerous Goods by Air A.D.N. International Carriage of Dangerous Goods by Inland Waterways

TWA Time-weighted average STEL Short-term exposure limit

c) References and sources for data

sigma-aldrich.com fishersci.co.uk anatrace.com

d) Indication of methods used for classification (mixtures only)

No data available

e) List of Hazard and Precautionary phrase not listed in full in other sections

See Section 2.1.

f) Advice for training

Disclaimer:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Molecular Dimensions Ltd., shall not be held liable for any damage resulting from handling or from contact with the above product.